



F.No. South-Central/1-448116621/2011/EOA

Date: 01-09-2011

To,  
The Principal Secretary  
(Higher Education) Govt. of Andhra Pradesh,  
J Block, 4th Floor, Secretariat Building,  
Hyderabad-500022

Sub: Extension of approval for the academic year 2011-12.  
Ref : Application of the Institution for Extension of Approval for the Year 2011-12

Sir/Madam,

In terms of the Regulations notified by the Council vide F.No. 37-3/Legal/2011 dated 10/12/2010 and norms, standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the extension of approval of the Council to

Regional Office	South-Central	Application Id	1-448116621
		Permanent Id	1-4023854
Name of the Institute	SRI ADITYA ENGINEERING COLLEGE	Institute Address	ADITYA NAGAR, ADB ROAD, SURAMPALEM, VIA PEDDAPURAM.,SURAMPALEM,EAST GODAVARI,Andhra Pradesh,533437
Name of the Society/Trust	SAROJINI EDUCATIONAL SOCIETY	Society/Trust Address	D.NO: 2-42-2, SRI NAGAR KAKINADA,KAKINADA,EAST GODAVARI,Andhra Pradesh,533003
Institute Type	Unaided - Private		

to conduct following courses with the intake indicated below for the academic year 2011-12

Application Id: 1-448116621			Course	Full/Part Time	Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level								
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	ELECTRICAL AND ELECTRONICS ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	120	120	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	ELECTRONICS AND COMMUNICATIONS ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	120	120	No	No	No



Application Id: 1-448116621			Course	Full/Part Time	Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level								
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	COMPUTER SCIENCE AND ENGINEERING	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	60	120	No	No	No
ENGINEERING AND TECHNOLOGY	1st Shift	UNDER GRADUATE	PETROLEUM TECHNOLOGY	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	60	60	No	No	No
MANAGEMENT	1st Shift	POST GRADUATE	MASTERS IN BUSINESS ADMINISTRATION	FULL TIME	Jawaharlal Nehru Technological University, Kakinada	60	60	No	No	No

The above mentioned approval is subject to the condition that SRI ADITYA ENGINEERING COLLEGE shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. K P Isaac)

Member Secretary, AICTE

Copy to:

1. **The Regional Officer,**  
All India Council for Technical Education



- First Floor, old BICARD Building  
Jawaharlal Nehru Technological University  
Masab Tank, Hyderabad-500076
2. **The Director Of Technical Education,**  
Andhra Pradesh
  3. **The Registrar,**  
Jawaharlal Nehru Technological University, Kakinada
  4. **The Principal / Director,**  
SRI ADITYA ENGINEERING COLLEGE  
ADITYA NAGAR,  
ADB ROAD,  
SURAMPALEM,  
VIA PEDDAPURAM.,  
SURAMPALEM,EAST GODAVARI,  
Andhra Pradesh,533437
  5. **The Secretary / Chairman,**  
SAROJINI EDUCATIONAL SOCIETY  
D.NO: 2-42-2,  
SRI NAGAR  
KAKINADA,  
KAKINADA,EAST GODAVARI,  
Andhra Pradesh,533003
  6. **Guard File(AICTE)**

